

How Does Ultraloq Work For You?

Home

Ideal for all entry doors including front door, back door and side door where security matters.

Airbnb Host

With Ultraloq U-Bolt and Bridge, you can share a temporary access to your guest for a specific time period without physically being there.

For Everyone

Works for everyone in your family. With or without smartphone. Codes are perfect for children and elderly who might not have a smartphone.

Business

The right of access into each room can be controlled and monitored. No more replacing locks or exchanging keys when employees quit. Just take few seconds to delete those users in U-tec App.



Bluetooth Smart Connectivity

Your smartphone is now your key. Just unlock your door using the U-tec App on your smartphone



Share Temporary Codes and Ekey

Simply create a temporary code and Ekey for your guests in U-tec App



Auto Lock

Relock automatically to for added security and convenience



Easy Setup and DIY Installation

No wiring required. No drilling for American standard doors.



Long Battery Life

4 AA batteries. Up to 8,000 times access. Low battery alarm







Auto Unlock

Unlock the door for you when you arrive at your door with your smartphone in your pocket



Anti-peep Numeric Keypad

User defined 4-8 digit codes. Anti-peep password with backlight.



Magic Shake

Just shake your phone to unlock your door



Mechanical Key

Backup mechanical key for emergency override



Solid and Resistant

Durable Zinc alloy casing. Weatherproof exterior assembly

More Features





Ultraloq U-Bolt uses 128-bit AES data encryption and Dynamic Key as a second layer of protection.





Shows you authorised or denied access, Bluetooth connectivity status, battery and locking status




U-tec App







Share Ekey & Code
Grant access for specific dates
or times.



Keyless Entry
U-tec App enables you to unlock
your door with your smartphone.



Manage Users Knows who has the access to your lock and how. Add or delete users.



Log Record

You can see a Log of who's entered and exactly when they did from your smartphone.

Accessories



Bridge WiFi Adaptor

Go Remote Instanly

- Open your Ultraloq smart lock anytime, from anywhere
- Instantly let your friends & guests into your home remotely from your smartphone
- Share temporary access to guests remotely
- Get instant alerts every time someone unlocks your door
- · View users and logs no matter where you are
- Uses Wi-Fi to connect to your home network and Bluetooth to connect to the Ultralog smart lock
- Work with U-tec App for both iOS and Android devices
- · Work with Alexa, Google Assistant and IFTTT
- No monthly service fee



Specification

Model	U-Bolt
Connectivity	Bluetooth 4.0, WiFi (Ultraloq Bridge required)
Identification Mode	Code and smartphone app
Code	User defined 4-8 digit
Keypad Backlight	Yes
Temporary Code or Ekey	Yes
Compatible Smartphone	iOS and Android
Remote Access	Ultraloq Bridge WiFi adaptor required
Mechanical Key Override	Yes
Working Voltage	6V (4 X Alkaline AA batteries)
Working Temperature	Outside lock body: -22 °F (-30 °C) to 149 °F (65 °C)
	Inside lock body: 14 °F (-10 °C) to 131 °F (55 °C)
Battery Life	Up to 1 year (8000 times access)
LED Indicator Color	Red, green and blue
User Capacity	60
Hardware type	Deadbolt
Hardware type	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25
Hardware type Door Prep	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25 mm) diameter latch hole
Hardware type Door Prep Door Thickness	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25 mm) diameter latch hole 1.3 - 1.96 inch (33 - 50 mm)
Hardware type Door Prep Door Thickness Backset	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25 mm) diameter latch hole 1.3 - 1.96 inch (33 - 50 mm) Adjustable to 2.375 or 2.75 inch (60 or 70 mm)
Hardware type Door Prep Door Thickness Backset Door Handing	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25 mm) diameter latch hole 1.3 - 1.96 inch (33 - 50 mm) Adjustable to 2.375 or 2.75 inch (60 or 70 mm) Reversible
Hardware type Door Prep Door Thickness Backset Door Handing Case Material	Deadbolt 2.125 inch (54 mm) diameter face hole &1 inch (25 mm) diameter latch hole 1.3 - 1.96 inch (33 - 50 mm) Adjustable to 2.375 or 2.75 inch (60 or 70 mm) Reversible Strong Zinc Alloy



U-tec Group Inc.



www.u-tec.com



COPYRIGHT © 2019 U-TEC GROUP INC. ALL RIGHTS RESERVED. U-tec and Utralog brands and products are trademarked and protected **U-tec** under law in the United States. Unauthorized use is protected.